



USPTO Form 1449 U.S. Department of Commerce Patent and Trademark Office				Attorney Docket No. 8039/1090		Serial No. 09/710,444		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT				Applicant(s): Riechmann, et al.				
				Filing Date: November 10, 2000		Group: 5253		
U.S. PATENT DOCUMENTS								
Examiner Initial		Patent No.	Date	Name	Class	Subclass	Filing Date (if appropriate)	
FOREIGN PATENT DOCUMENTS								
Examiner Initial		Document No.	Publication Date	Country	Class	Subclass	Translation	
							YES	NO
ADS	1.	WO92/01047	January 23, 1992	PCT	C12N	15/00		
ADS	2.	WO90/14430	November 29, 1990	PCT	C12P	19/34		
ADS	3.	WO92/20791	November 26, 1992	PCT	C12N	15/00		
ADS	4.	WO90/05144	May 17, 1990	PCT	C07K	13/00		
ADS	5.	WO93/11236	June 10, 1993	PCT	C12N	15/13		
OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.)								
EXAMINER 					DATE CONSIDERED 11-2-05			
<small>*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPER 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.</small>								
<small>**Copies of references not provided at the time of this submission.</small>								



RECEIVED

Page 1 of 3  
JUL 31 2001

TECH CENTER 1600/2900

USPTO Form 1449 Patent and Trademark Office				Attorney Docket No. 8654/1090		Serial No. 09/710,444	
INFORMATION DISCLOSURE STATEMENT				Applicant(s): Riechmann, et al			
				Filing Date: November 10, 2000		Group:	
U.S. PATENT DOCUMENTS							
Examiner Initial		Patent No.	Date	Name	Class	Subclass	Filing Date (if appropriate)
FOREIGN PATENT DOCUMENTS							
Examiner Initial		Document No.	Date	Country	Class	Subclass	Translation
							YES NO
OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.)							
1	AS	Rubingh, D.N. (1997). Protein engineering from a bioindustrial point of view. <i>Current Opinion in Biotechnology</i> . 8, 417-422.					
2	AS	Fersht, A.R. (1993). Protein folding and stability: the pathway of folding of barnase. <i>FEBS Letters</i> . 325, 5-16.					
3	AS	Zhao, H., et al. (1998). Molecular evolution by staggered extension process (StEP) in vitro recombination. <i>Nature Biotechnology</i> . 16, 258-261.					
4	AS	Patten, P.A., R.J. Howard, and W.P.C. Stemmer. (1997). Applications of DNA shuffling to pharmaceuticals and vaccines. <i>Current Opinion in Biotechnology</i> . 8, 724-733.					
5	AS	Sauer, R.T. (1996). Protein folding from a combinatorial perspective. <i>Folding &amp; Design</i> . 1, R27-R30.					
6	AS	Dahiyat, B.I., C.A. Sarisky, and S.L. Mayo. (1997). De Novo Protein Design: Towards Fully Automated Sequence Selection. <i>Journal of Molecular Biology</i> . 273, 789-796.					
7	AS	Riddle, D.S., et al. (1997). Functional rapidly folding proteins from simplified amino acid sequences. <i>Nature Structural Biology</i> . 4(10), 805-809.					
8	AS	Hoogenboom, H.R. and G. Winter. (1992). By-passing Immunisation. Human Antibodies from Synthetic Repertoires of Germline VH Gene Segments Rearranged in Vitro. <i>Journal of Molecular Biology</i> . 227, 381-388.					
9	AS	Winter, G., et al. (1994). Making Antibodies by Phage Display Technology. <i>Annual Review of Immunology</i> . 12, 433-455.					
10	AS	Braisted, A.C. and J.A. Wells. (1996). Minimizing a binding domain from protein A. <i>Proc. Natl. Acad. Sci. USA</i> . 93, 5688-5692.					
11	AS	Gu, H., et al. (1995). A phage display system for studying the sequence determinants of protein folding. <i>Protein Science</i> . 4, 1108-1117.					
12	AS	Hubbard, S.J., F. Eisenmenger, and J.M. Thornton. (1994). Modeling studies of the change in conformation required for cleavage of limited proteolytic sites. <i>Protein Science</i> . 3, 757-768.					
13	AS	Fontana, A., et al. (1997). Probing the partly folded states of proteins by limited proteolysis. <i>Folding &amp; Design</i> . 2, R17-R26.					



RECEIVED

Page 2 of 3  
JUL 31 2001

TECH CENTER 1600/2900

14		Kamtekar, S., <i>et al.</i> (1993). Protein Design by Binary Patterning of Polar and Nonpolar Amino Acids. <i>Science</i> . 262, 1680-1685.
15		Davidson, A.R. and R.T. Sauer. (1994). Folded proteins occur frequently in libraries of random amino acid sequences. <i>Proc. Natl. Acad. Sci. USA</i> . 91, 2146-2150.
16		Davidson, A.R., K.J. Lumb, and R.T. Sauer. (1995). Cooperatively folded proteins in random sequence libraries. <i>Nature Structural Biology</i> . 2(10), 856-864.
17		Matthews, D.J. and J.A. Wells. (1993). Substrate Phage: Selection of Protease Substrates by Monovalent Phage Display. <i>Science</i> . 260, 1113-1117.
18		Riechmann, L. and P. Holliger. (1997). The C-Terminal Domain of TolA Is the Coreceptor for Filamentous Phage Infection of E. coli. <i>Cell</i> . 90, 351-360.
19		Smith, G.P. (1985). Filamentous Fusion Phage: Novel Expression Vectors That Display Cloned Antigens on the Virion Surface. <i>Science</i> . 228, 1315-1317.
20		Krebber, C., <i>et al.</i> (1997). Selectively-infective Phage (SIP): A Mechanistic Dissection of a Novel in vivo Selection for Protein-ligand Interactions. <i>Journal of Molecular Biology</i> . 268, 607-618.
21		Stengele, I., <i>et al.</i> (1990). Dissection of Functional Domains in Phage fd Adsorption Protein. Discrimination between Attachment and Penetration. <i>Journal of Molecular Biology</i> . 212, 143-149.
22		Gray, C.W., R.S. Brown, and D.A. Marvin. (1981). Adsorption complex of Filamentous fd virus. <i>Journal of Molecular Biology</i> . 146, 621-627.
23		Hoogenboom, H.R., <i>et al.</i> (1991). Multi-subunit proteins on the surface of filamentous phage: methodologies for displaying antibody (Fab) heavy and light chains. <i>Nucleic Acids Research</i> . 19, 4133-4137.
24		Bass, S., R. Greene, and J.A. Wells. (1990). Hormone Phage: An Enrichment Method for Variant Proteins With Altered Binding Properties. <i>Proteins</i> . 8, 309-314.
25		Nissim, A., <i>et al.</i> (1994). Antibody fragments from a "single pot" phage display library as immunochemical reagents. <i>The EMBO Journal</i> . 13, 692-698.
26		Marzari, R., <i>et al.</i> (1997). Extending filamentous phage host range by the grafting of a heterologous receptor binding domain. <i>Gene</i> . 185, 27-33.
27		Mossakowska, D.E., K. Nyberg, and A.R. Fersht. (1989). Kinetic Characterisation of the Recombinant Ribonuclease from Bacillus amyloliquefaciens (Barnase) and Investigation of Key Residues in Catalysis by Site-Directed Mutagenesis. <i>Biochemistry</i> . 28, 3843-3850.
28		Meiering, E.M., L. Serrano, and A.R. Fersht. (1992). Effect of Active Site Residues in Barnase on Activity and Stability. <i>Journal of Molecular Biology</i> . 225, 585-589.
29		Serrano, L., <i>et al.</i> (1992). The Folding of an Enzyme. II Substructure of Barnase and the Contribution of Different Interactions to Protein Stability. <i>Journal of Molecular Biology</i> . 224, 783-804.
30		McKnight, C.J., P.T. Matsudaira, and P.S. Kim. (1997). NMR structure of the 35-residue villin headpiece subdomain. <i>Nature Structural Biology</i> . 4(3), 180-184.
31		McKnight, C.J., <i>et al.</i> (1996). A Thermostable 35-Residue Subdomain within Villin Headpiece. <i>Journal of Molecular Biology</i> . 260, 126-134.
32		Xu, D. and R. Nussinov. (1997). Favorable domain size in proteins. <i>Folding &amp; Design</i> . 3, 11-17.
33		Kippen, A.D. and A.R. Fersht. (1995). Analysis of the Mechanism of Assembly of Cleaved Barnase from Two Peptide Fragments and Its Relevance to the Folding Pathway of Uncleaved Barnase. <i>Biochemistry</i> . 34, 1464-1468.
34		Gay, G.d.P. and A.R. Fersht. (1994). Generation of a Family of Protein Fragments for Structure-Folding Studies. 1. Folding Complementation of Two Fragments of Chymotrypsin Inhibitor-2 Formed by Cleavage at Its Unique Methionine Residue. <i>Biochemistry</i> . 33, 7957-7963.
35		Wu, L.C., R. Grandori, and J. Carey. (1994). Autonomous subdomains in protein folding. <i>Protein Science</i>

3: 369-371



RECEIVED

Page 3 of 3

JUL 31 2001

TECH CENTER 1600/2900

		<i>Science</i> . 3, 369-371.
36	ADS	Kwon, W.S., N.A.D. Silva, and J.T. Kellis. (1996). Relationships between thermal stability, degradation rate and expression yield of barnase variants in the periplasm of <i>Escherichia coli</i> . <i>Protein Engineering</i> . 9(12), 1197-1202.
37	ADS	Axe, D.D., N.W. Foster, and A.R. Fersht. (1996). Active barnase variants with completely random hydrophobic cores. <i>Proc. Natl. Acad. Sci. USA</i> . 93, 5590-5594.
38	ADS	Waldburger, C.D., J.F. Schildbach, and R.T. Sauer. (1995). Are buried salt bridges important for protein stability and conformational specificity? <i>Nature Structural Biology</i> . 2(2), 122-128.
39	ADS	Roy, S., <i>et al.</i> (1997). A Protein Designed by Binary Patterning of Polar and Nonpolar Amino Acids Displays Native-like Properties. <i>Journal of the American Chemical Society</i> . 119, 5302-5306.
40	ADS	Clackson, T., <i>et al.</i> (1991). Making antibody fragments using phage display libraries. <i>Nature</i> . 352, 624-628.
41	ADS	McCafferty, J., <i>et al.</i> (1990). Phage antibodies: filamentous phage displaying antibody variable domains. <i>Nature</i> . 348, 552-554.
42	ADS	Fisch, I., <i>et al.</i> (1996). A strategy of exon shuffling for making large peptide repertoires displayed on filamentous bacteriophage. <i>Proc. Natl. Acad. Sci. USA</i> . 93, 7761-7766.
43	ADS	Matouschek, A., <i>et al.</i> (1989). Mapping the transition state and pathway of protein folding by protein engineering. <i>Nature</i> . 340, 122-126.
44	ADS	Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. <i>Nature</i> . 227, 680-685.
45	ADS	Schatz, G. and Dobberstein, B. (1996). Common principles of protein translocation across membranes. <i>Science</i> . 271, 1519-1526.
46	ADS	Von Heijne, G. (1998). Life and death of a signal peptide. <i>Nature</i> . 396, 111-113.
47	ADS	Sprengart, M.L., Fuchs, E. and Porter, A.G. (1996). The downstream box: an efficient and independent translation initiation signal in <i>E.coli</i> . <i>The EMBO Journal</i> . 15, 665-674.
48	ADS	Perlman, D. and Halvorson, H.O. (1983). A putative signal peptidase recognition site and sequence in eukaryotic and prokaryotic signal peptides. <i>Journal of Molecular Biology</i> . 167, 391-409.
49	ADS	Von Heijne, G. (1983). Patterns of amino acids near signal-sequence cleavage sites. <i>Eur. J. Biochem</i> . 133, 17-21.
50	ADS	Pedersen, H., Hölder, S., Sutherlin, D.P., Schwitter, U., King, D.S., Schultz, P.G. (1998). <i>Proc. Natl. Acad. Sci. USA</i> . 95, 10523-10528.

EXAMINER

DATE CONSIDERED

11-2-05

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

\*\*Copies of references not provided at the time of this submission.